

INTERNATIONAL TESTING CENTRE

Accreditation for ISO/IEC 17025: 2005 by Dakks, Germany

TEST CERTIFICATE

Supplier : HILLSON FOOTWEAR Pvt. Ltd. Job No. : 2K2003064
Plot No. 420-421, MIE Part-1,
Bahadurgarh, Haryana
Contact : Mr. Dev Date of Entry : 05.03.2020
Material : PVC Gum Boot (Size-8) Page : 1/1
Specification : IS 15298(Part2) :2016, Classification II Colour : Black
Code : Article- CHOTA HATHI
Job start date : 12.03.2020 Job completion date: 16.03.2020

Laboratory Environment
Temperature 23+/-2°C
Relative Humidity 50+/-5%
The sample was conditioned for 48 hrs.



Clause	Property	Requirement	Observation	Conformity
5.2.2	Height of Upper	178 mm (Design-C) 280 mm (For Design-D & E)	260 mm	Conforms
5.3.3	Leak proof	No leakage of air when tested at 30 KPa for 30 s	No Leakage	Conforms
5.8.4	Flexing Resistance (Sole flexing)	4 mm cut growth before 30,000 cycles	No significant cut growth before 30,000 cycles	Conforms

Rajesh Mishra
(Senior Technologist)



Shailendra Saxena
Chief Technologist & Head -Physical Laboratory

1. This report is for technical information of the client only. Not for advertisement, promotion, publicity litigation or legal purpose.
2. This institute shall be indemnified against any dispute arising out of issue of this report.
3. Sample not drawn by FDDI and the test results relate only to the material tested.
4. The report must not be reproduced except in full without approved of FDDI.

FOOTWEAR DESIGN & DEVELOPMENT INSTITUTE
MINISTRY OF COMMERCE & INDUSTRY, GOVERNMENT OF INDIA

A-10/A, SECTOR-24, NOIDA-201 301, DISTT. GAUTAM BUDHA NAGAR (U. P.) INDIA
Ph. : +91-120-4500128, 4500138 (Physical Lab), 4500113, 4500125 (Chemical Lab)
EPABX : +91-120-4500100 Fax : +91-120-2412556, 2411301 Website : www.fddiindia.com