



Foot protection

PERTUIS3 S1P SRC

CONSTRUCTION

Low-cut non-magnetic shoe, combining durability and breathability, with wide and high crampons, for all types of soil



Specific benefits



Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Dual-density outsole



Hygiene

- Removable insock for easy cleaning



Performance

- High stability ensured by the sole's grip properties

Certifications and norms

EN ISO 20345

S1PS FO A E SR

Applications

- Agriculture
- Public works
- Events & scenic
- Light industry
- Maintenance
- Temporary work

Protects against risks



Antistatic



Shock



Slip



Perforation



Foot protection

PERTUIS3 S1P SRC

CONSTRUCTION

Low-cut non-magnetic shoe, combining durability and breathability, with wide and high crampons, for all types of soil

Standards - Details

Technical details

Size	36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47
Size	36-47
Weight	622 g per shoes
Shape	Low shoes
Upper material and finition	Leather and textile
Footbed material	EVA, Polyamide
Footbed carактерistic	Removable, Pre-molded
Lining material	Textile, Polyester
Midsole	Metal free
Outsole material	PU multi
Outsole finition	Injected
Security toe-cap	Composite



Foot protection

PERTUIS3 S1P SRC

CONSTRUCTION

Low-cut non-magnetic shoe, combining durability and breathability, with wide and high crampons, for all types of soil

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code	Multiple Sales	Minimum Order Quantity	Weight
-----------	-------	------	-------------	-------	----------	----------------	------------------------	--------