



Hand protection

# VE722

## WORKS IN OILY ENVIRONMENT

Mechanical glove, ideal for oily and greasy environments



### Specific benefits



#### Hygiene

- Nitrile means no risk of allergies for users



#### Performance

- The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

### Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Mining

### Certifications and norms



### Protects against risks



Wearing



Hand protection

# VE722

## WORKS IN OILY ENVIRONMENT

Mechanical glove, ideal for oily and greasy environments

### Standards - Details



#### EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE  
1 [0-5] CUT RESISTANCE  
2 [0-4] TEAR RESISTANCE  
1 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997

### Technical details

|                               |                      |
|-------------------------------|----------------------|
| Glove kind                    | Mechanical glove     |
| Glove family                  | Knitted coated glove |
| Mechanical glove kind         | Knitted              |
| Coating material and finition | Nitrile foam         |
| Coating level                 | Palm coated          |
| Number of layer               | Single layer         |
| Gauge                         | 13                   |
| Benefits element              | Reach, Vendor pack   |
| Color                         | Grey-Black           |
| Size                          | 7, 8, 9, 10          |
| Type of packaging             | Sold individually    |



Safety gloves

# VE722

## WORKS IN OILY ENVIRONMENT

Mechanical glove, ideal for oily and greasy environments

### Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code | Multiple sales | Minimum sales | Weight |
|-----------|--------|------|-------------|-------|----------|----------------|---------------|--------|
|-----------|--------|------|-------------|-------|----------|----------------|---------------|--------|