



Hand protection

VE733

WORKS IN WET ENVIRONMENT

Mechanical glove with a very good grip in wet or dry conditions owing to its eco-friendly coating



Specific benefits



Durability

· Environmentally-friendly thanks to its solvent-free coating



Performance

· The high-performance HEATnocut fiber provides resistance to contact heat (250° for 15 seconds)

Technologies & labels

· Solvent-free

Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Temporary work

Certifications and norms



EN 388

2 1 4 1 A



EN 407

X 2 X X X X

Protects against risks



Heat



Wearing



enjoy safety

Edit 10/11/2023
www.deltaplus.eu



Hand protection

VE733

WORKS IN WET ENVIRONMENT

Mechanical glove with a very good grip in wet or dry conditions owing to its eco-friendly coating

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
A [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	Smooth latex
Coating level	Palm coated
Number of layer	Single layer
Gauge	13
Color	Orange-Blue
Size	7, 8, 9, 10, 11
Type of packaging	Sold individually



Safety gloves

VE733

WORKS IN WET ENVIRONMENT

Mechanical glove with a very good grip in wet or dry conditions owing to its eco-friendly coating

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
-----------	--------	------	-------------	-------	----------	----------------	---------------	--------