



Hand protection

CHEMSAFE VV835

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove combining comfort of use and prolonged use against hydrocarbons



Specific benefits



Durability

· Longer service life thanks to a double coating for excellent abrasion resistance



Hygiene

· Latex-free to reduce the risk of allergies
· Nitrile means no risk of allergies for users



Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Certifications and norms



EN 388

4 1 2 1 X



EN ISO 374-5



EN ISO 374-1

TYPE B
A (METHANOL)J (N-HEPTANE)K (SODIUM
HYDROXIDE 40%)L (SULPHURIC ACID 96%)

Applications

- Public Works
- Building
- Maintenance
- Chemical Industry
- Automotive
- Oil & Gas (Extraction)

Risk Protection



Biological



Wearing



Chemical



Particules



Hand protection

CHEMSAFE VV835

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove combining comfort of use and prolonged use against hydrocarbons

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A (METHANOL) : MÉTHANOL
J (N-HEPTANE) : N-HEPTANE
K (SODIUM HYDROXIDE 40%) : SODIUM
HYDROXIDE 40%
L (SULPHURIC ACID 96%) : SULPHURIC ACID
96%

Technical details

Color	Green
Tight glove kind	Supported
Coating material and finition	Triple coating nitrile foam
Size	8, 9, 10, 11
Glove family	Tight glove supported
Coating Level	Full Coating
Gauge	18
Thickness	1,15 mm
Number of Coatings	Triple Coated
Type of conditioning	Sold by Unit
Arm level protection	Forearm cuff (< 400mm)
Benefits element	Reach, Free latex, Vendor pack, Long cuff (>290mm)
Glove kind	Tight glove



Safety gloves

CHEMSAFE VV835

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove combining comfort of use and prolonged use against hydrocarbons

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code	Multiple Sales	Minimum Order Quantity	Weight
-----------	-------	------	-------------	-------	----------	----------------	------------------------	--------